---------- THANK YOU ----------

á

E9 NAGAWARA

Receipt Number 489277071619
Reciept Date 28-03-2018 13:21:41
Cash Counter BESCOM - E9 SDO Onli
ne Cash Counter
Payor Account ID 4892770469
Payor Name AEE BBMP
RR Number á
Total Payment Rs8,160.00
Mode of pay Cash
Purpose Deposits
Non Revenue category2NMD-FEE

Eight Thousand One Hundred Sixty Rupees Only

---------- THANK YOU ----------

(9)

ty Supply Company Limited

946/09-03-2018

Office of
Assistant Executive Engineer
E9 NAGAWARA
BESCOM
DATE: 09-03-2018

E9 P1251.

)RE

KARNATAKA
560045

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: **1) Application No:991048800950 Dated: 27-02-2018**
2) Account ID : 4892770469
3) Prevailing KERC regulations.

With reference to your Application No. **991048800950 Dated: 27-02-2018**, power supply to an extent of **0 KW** and **10 HP** on Account ID **4892770469** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. Plinth area:

1	No. of Floors Existing	0
2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	0
5	**Total Plinth Area in sq.m.**	0

   b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	0 KW and 10 HP
3	Total Load	7.46 KW

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of **The Assistant Executive Engineer (EI) E9 NAGAWARA, BESCOM** within 30 days from the date of this letter:

Sl. No.	Particulars	Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **10 HP**) installation	**₹8160.00**
2.	MSD Amount	**₹0.00**
3.	Infrastructure Charges	**₹0.00**
4.	Service Line Cost(Development Charge)	**₹0.00**
5.	Additional Development /Service Line Charges	**₹0.00**
	Total	**₹8160.00**

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

   a) Single Phase Meters _____Nos.

   b) Three Phase Meters _____Nos.

   c) ETV Meters _____ Nos.

   d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

   a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

   b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

   a) From the existing _KVA Transformer

   b) After enhancement of TC capacity from KVA to **0** KVA of the TC located at

   c) After erecting new **0** KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

   i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

   ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. **BESCOM** approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. **BESCOM** reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

10. As per the Govt. Order, solar water heaters of suitable capacity shall be provided

11. Five nos. of Compact Fluorescent Lamps shall be used for each installation

12. The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

E9 NAGAWARA

BESCOM

(17)

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE BESCOM

Address Mother Theresa Rd
Mariyappalya
B.L

GSTIN :

BILL No. **YNK/18/** 02942

DATE : 06/06/18 TIME : 12.40 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3phase C766960	01	1466.67	1466.	67
	BESCOM DVN : E9 W.O. No. E.40903 Date 31/03/4 Total Invoice Value (In Words) : One Thousand Seven hundred Thirty Rupees Sixty Seven Paise		CGST @ 9%	132.	00
			SGST @ 9%	132.	00
			GRAND TOTAL	1730.	67

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 958

Date : 11-04-2018

1. Customer's Name and Address with Telephone No. : WARD NO 7 Byatarayanapura division

2. Well Location : MARIYANNA PALYA MOTHER TERESA Road

3. Total Well Depth / Drilled in Ft. : 900

4. Casing Erected in Ft. : 280-300

5. Water Struck at the Depth of : 600

6. Total Yield (Measuring method "V" Norch : 2½ / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Loose Soil

8. At the Depth of : 900.

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

Manager / Proprietor

Water Diviner

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date :..11/03/18...

REPORT ON GROUND WATER INVESTIGATION

Name AEE, Byatarayanapura Division, BBMP.

Address Ward #7 BBMP ward office
Sahakaranagara

Location Mariyamma Gudya Muthu Terace road.

Topography —

Soil Type Dry

Rock Type HARD.

Nos. 1

RECOMMENDATIONS

Depth 800 – 1000

Casing 80 – 100

Yield 1000 – 1500

Aquifers o/c.

Remarks Dry area go for long depth 10" P.V.C.

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

Smt. Kavitha Singh

Kavitha

Water Diviner

(8)

Receipt Number 2373958625@4
Reciept Date 28-03-2018 13:21:41
Cash Counter BESCOM - E9 SDO Onli
ne Cash Counter
Payor Account ID 2373958943
Person Name AEE BBMP
RR Number
Total Payment Rs8,160.00
Mode of pay Cash
Purpose Deposits
Non Revenue category2HHD-FEE

Eight Thousand One Hundred Sixty Rupees Only

/ Supply Company Limited

/09-03-2018

Office of
Assistant Executive Engineer
E9 NAGAWARA
BESCOM
DATE: 09-03-2018

.YA, BANGALORE

CyP5463

KARNA
560045

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:294907316272 Dated: 27-02-2018
2) Account ID : 2373958943
3) Prevailing KERC regulations.

With reference to your Application No. **294907316272 Dated: 27-02-2018**, power supply to an extent of **0 KW** and **10 HP** on Account ID **2373958943** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	**0**
2	No. of Floors Added or New	**0**
3	Existing Plinth Area in sq.m.	**0**
4	Added or New Plinth Area in sq.m.	**0**
5	**Total Plinth Area in sq.m.**	**0**

   b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	**0**
2	New/ Additional Load Required	**0 KW and 10 HP**
3	Total Load	**7.46 KW**

are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in ur of **The Assistant Executive Engineer (EI) E9 NAGAWARA, BESCOM** within 30 days from the date of tter:

. No.	Particulars	Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **10 HP**) installation	**₹8160.00**
2.	MSD Amount	**₹0.00**
3.	Infrastructure Charges	**₹0.00**
4.	Service Line Cost(Development Charge)	**₹0.00**
5.	Additional Development /Service Line Charges	**₹0.00**
Total		**₹8160.00**

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters _____Nos.

b) Three Phase Meters _____Nos.

c) ETV Meters _____ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to **0** KVA of the TC located at

c) After erecting new **0** KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

10. As per the Govt. Order, solar water heaters of suitable capacity shall be provided

11. Five nos. of Compact Fluorescent Lamps shall be used for each installation

12. The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

E9 NAGAWARA

BESCOM

(16)

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE OSMP

Address Mother Theresa Rd
D.64

GSTIN :

BILL No. **YNK/18/** 02941

DATE : 06/06/18 TIME : 12.32 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos. 3Ph C766959	01	1466.62	1466.	62
			CGST @ 9%	132.	00
			SGST @ 9%	132.	00
			GRAND TOTAL	1730.	62

BESCOM DVN : E9

W.O. No. E.40904 Date 31/03/18

Total Invoice Value (In Words) : One Thou Sev Hund Thirty Seven Rupees

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 959

Date : 10-4-2018

1. Customer's Name and Address with Telephone No. : WARD NO 7 Byatarayapura Sub divition

2. Well Location : MARIYANNA PALYA MOTHER TERESA Road Point 2

3. Total Well Depth / Drilled in Ft. : 950'

4. Casing Erected in Ft. : 280'-300'

5. Water Struck at the Depth of : 550'

6. Total Yield (Measuring method "V" Norch : 2 1/2" / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Loose Soil

8. At the Depth of : 950'

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

Kavitha
Water Diviner

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Singh
Mob : 9964702826

ಋದ್ಧಿ Amrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date :.13/02/18..

REPORT ON GROUND WATER INVESTIGATION

Name ATI, Byatarayapura Division - BBMP.

Address Ward #7. BBMP Ward office
Lakshmanagara

Location Mariyamma palya Mother Teresa Road.

Topography —

Soil Type Dry

Rock Type HARD

Nos. 1

RECOMMENDATIONS

Depth 700 - 900

Casing 70 - 90

Yield 1000 - 1500

Aquifers 01k.

Remarks Dry area go for long depth 10" P.V.C.

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Smt. Kavitha Singh

Kavitha

Water Diviner

BESCOM

No.: BESC


ಬೆಂಗಳೂರು ವಿದ್ಯುಚ್ಛಕ್ತಿ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

Receipt Number 3050830367/13
Receipt Date 31-03-2018 15:15:18
Cash Counter BESCOM- C4, Office counter
Payor Account ID 3050830860
Person Name AEE BBMP
RR Number
Total Payment Rs8,160.00
Mode of pay Cash
Purpose Deposits
Non Revenue category ZMMD-AEE

Eight Thousand One Hundred Sixty Rupees Only

Payment Verified 31/3/18

To,

AEE BBMI

7TH MAIN ROAD KUVEMPU L/O

BANGALORE KARNATAKA

560024

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:851575586210 Dated: 23-02-2018

2) Account ID : 3050830860

3) Prevailing KERC regulations.

With reference to your Application No. **851575586210 Dated: 23-02-2018**, power supply to an extent of **0 KW** and **10 HP** on Account ID **3050830860** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	0
2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	1
5	**Total Plinth Area in sq.m.**	1

   b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	0 KW and 10 HP
3	Total Load	7.46 KW

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of **The Assistant Executive Engineer (El) C4 HEBBALA, BESCOM** within 30 days from the date of this letter:

Sl. No.	Particulars	Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **10 HP**) installation	₹8160.00
2.	MSD Amount	₹0.00
3.	Infrastructure Charges	₹0.00
4.	Service Line Cost(Development Charge)	₹0.00
5.	Additional Development /Service Line Charges	₹0.00
	Total	₹8160.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters _____Nos.

b) Three Phase Meters _____Nos.

c) ETV Meters _____ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to **0** KVA of the TC located at

c) After erecting new **0** KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

10. As per the Govt. Order, solar water heaters of suitable capacity shall be provided

11. Five nos. of Compact Fluorescent Lamps shall be used for each installation

12. The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

C4 HEBBALA

BESCOM

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 956 Date : 13-04-2018

1. Customer's Name and Address with Telephone No. : WARD NO 7 B.T. pura Sub division

2. Well Location : KEMPAPURA Gramatana WARD NO 7

3. Total Well Depth / Drilled in Ft. : 950'

4. Casing Erected in Ft. : 250-300'

5. Water Struck at the Depth of : 600'

6. Total Yield (Measuring method "V" Norch : 2½" / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Loose Soil,

8. At the Depth of : 950'

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

Kavitha

Water Diviner

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date :....8/02/18....

REPORT ON GROUND WATER INVESTIGATION

Name: AKKi Byatarayanpura Division BBMP.

Address: Ward # 7, Sahavalenagar ward of the BBMP.

Location: Kempapura Kraintana

Topography: ~

Soil Type: Dry

Rock Type: Hard

RECOMMENDATIONS

Nos. 1

Depth: 800 - 1100

Casing: 80 - 110.

Yield: 1000 - 1100

Aquifers: 01 Nos.

Remarks: Dry area go for long depth 10" pipe.

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Smt. Kavitha Singh

Kavitha

Water Diviner



ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

Receipt Number 2818827102966
Receipt Date 31-03-2018 15:15:18
Cash Counter BESCOM- C4, Office counter
Account ID 2818827871
Person Name ALI BHAI
RR Number
Total Payment Rs8,160.00
Mode of pay Cash
Purpose Deposits
Non Revenue category/RMD-HT

Eight Thousand One Hundred Sixty Rupees Only

THANK YOU

KARIYANNA L/O

BANGALORE KARNATAKA

560024

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:743923724304 Dated: 23-02-2018

2) Account ID : 9209124020

3) Prevailing KERC regulations.

With reference to your Application No. **743923724304 Dated: 23-02-2018**, power supply to an extent of **0 KW** and **10 HP** on Account ID **9209124020** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	0
2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	1
5	**Total Plinth Area in sq.m.**	1

   b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	0 KW and 10 HP
3	Total Load	7.46 KW

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of **The Assistant Executive Engineer (El) C4 HEBBALA, BESCOM** within 30 days from the date of this letter:

Sl. No.	Particulars	Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **10 HP**) installation	₹8160.00
2.	MSD Amount	₹0.00
3.	Infrastructure Charges	₹0.00
4.	Service Line Cost(Development Charge)	₹0.00
5.	Additional Development /Service Line Charges	₹0.00
	Total	₹8160.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters _____Nos.

b) Three Phase Meters _____Nos.

c) ETV Meters _____ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to **0** KVA of the TC located at

c) After erecting new **0** KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

As per the Govt. Order, solar water heaters of suitable capacity shall be provided

Five nos. of Compact Fluorescent Lamps shall be used for each installation

The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

C4 HEBBALA

BESCOM

(15)

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE BESCOM
Address Kariyanna Lh.
HBL Ring Rd
B.L
GSTIN :

BILL No. **YNK/18/** 02945

DATE : 06/06/18 TIME : 12.55 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps	0			
	Serial Nos. 3phase C767178	01	1466.62	1466-	62
	BESCOM DVN : C.4 W.O. No. Z. 11594 Date 04/04/18 Total Invoice Value (In Words) : One Thousand Seven hundred Thirty Only		CGST @ 9% SGST @ 9% **GRAND TOTAL**	132. 132. 1730.	+ + 62

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

Water Diviner

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 957

Date : 12-04-2018

1. Customer's Name and Address with Telephone No. : WARD NO 7 . Byatarayanapura Subdivision

2. Well Location : KARIYANNA Layout . WARD NO 7

3. Total Well Depth / Drilled in Ft. : 900'

4. Casing Erected in Ft. : 250'-300'

5. Water Struck at the Depth of : 550'

6. Total Yield (Measuring method "V" Norch : $2\frac{1}{2}$" / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Loose Soil.

8. At the Depth of : 900'

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

Water Diviner

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date : 13/02/18

REPORT ON GROUND WATER INVESTIGATION

Name: Akki Byatarayanapura Division BBMP

Address: Ward # 7, BBMP ward office
Sahakaranagara

Location: Kariyanna Layout.

Topography: —

Soil Type: Dry

Rock Type: HARD

Nos. 1

RECOMMENDATIONS

Depth: 800 - 1000

Casing: 80 - 100

Yield: 1000 - 1500

Aquifers: 01|c

Remarks: Dry area go for long depth 10" P.V.C

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Smt. Kavitha Singh

Kavitha

Water Diviner

'Bang

No.: BESCOM/NC_L


C4 HEBBALA
ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ
Receipt Number: 0208836517
Receipt Date: 31-03-2018 15:15:38
Cash Counter: BESCOM- C4, Office counter
Payor Account ID: 0208836517
Person Name: AEE BBMP
RR Number:
Total Payment: Rs8,160.00
Mode of pay: Cash
Purpose: Deposits
Non Revenue category/MMD-HT:
Eight Thousand One Hundred Sixty Rupees Only
THANK YOU
31/3/18
C4P5462

To,

AEE BBMP,

1ST MAIN VENKATE GOWDA L/O KEMPAPAURA

ANGALORE KARNATAKA

560024

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:457538208742 Dated: 23-02-2018

2) Account ID : 0208836517

3) Prevailing KERC regulations.

With reference to your Application No. **457538208742 Dated: 23-02-2018**, power supply to an extent of **0 KW** and **10 HP** on Account ID **0208836517** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	0
2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	1
5	**Total Plinth Area in sq.m.**	1

   b. Total height of the building above ground level in m: **1**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	0 KW and 10 HP
3	Total Load	7.46 KW

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of **The Assistant Executive Engineer (El) C4 HEBBALA, BESCOM** within 30 days from the date of this letter:

Sl. No.	Particulars	Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **10 HP**) installation	₹8160.00
2.	MSD Amount	₹0.00
3.	Infrastructure Charges	₹0.00
4.	Service Line Cost(Development Charge)	₹0.00
5.	Additional Development /Service Line Charges	₹0.00
Total		₹8160.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

   a) Single Phase Meters _____Nos.

   b) Three Phase Meters _____Nos.

   c) ETV Meters _____ Nos.

   d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

   a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

   b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

   a) From the existing _KVA Transformer

   b) After enhancement of TC capacity from KVA to 0 KVA of the TC located at

   c) After erecting new 0 KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

   i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

   ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. **BESCOM** approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. **BESCOM** reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

per the Govt. Order, solar water heaters of suitable capacity shall be provided

ive nos. of Compact Fluorescent Lamps shall be used for each installation

The metering equipment to be installed should be conspicuously visible and at the main entrance to the emises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

C4 HEBBALA

BESCOM

(4)

Duplicate Receipt

Bangalore Electricity Supply Company Limited
C8 SAHAKARANAGARA

Verified
2/4/18

Receipt No :782415157815
Receipt Date :02-04-2018 15:19:32
Cash Counter :BESCOM - C8 SDO Cash Counter
Account ID :7824151922
Person Name :AEE BBMP
Total Payment:Rs8,160.00
Payment Mode :Cash
Purpose :2MMD/ISD (48.101)
Eight Thousand One Hundred Sixty Rupees Only

---------- THANK YOU ----------

CSP828

Bangalore Electricity Supply Company Limited

No.: BESCOM/NC_LTPWRSA/0697728866/06-03-2018

Office of
Assistant Executive Engineer
C8 SAHAKARANAGARA
BESCOM
DATE: 06-03-2018

To,
AEE BBMP,
NEAR INDIRA CANTEEN,7TH CROSS,AMRUTHANAGAR

BANGALORE KARNATAKA
560092

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) **Application No:432207509745 Dated: 24-02-2018**
2) **Account ID : 7824151922**
3) **Prevailing KERC regulations,**

With reference to your Application No. **432207509745 Dated: 24-02-2018**, power supply to an extent of **0 KW** and **10 HP** on Account ID **7824151922** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	0
2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	0
5	**Total Plinth Area in sq.m.**	0

   b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	**0 KW and 10 HP**
3	Total Load	**7.46 KW**

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of **The Assistant Executive Engineer (EI) C8 SAHAKARANAGARA, BESCOM** within 30 days from the date of this letter:

Sl. No.	Particulars	Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **10 HP**) installation	₹8160.00
2.	MSD Amount	₹0.00
3.	Infrastructure Charges	₹0.00
4.	Service Line Cost(Development Charge)	₹0.00
5.	Additional Development /Service Line Charges	₹0.00
Total		₹8160.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters _____Nos.

b) Three Phase Meters _____Nos.

c) ETV Meters _____ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to 0 KVA of the TC located at

c) After erecting new 0 KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

s per the Govt. Order, solar water heaters of suitable capacity shall be provided

Five nos. of Compact Fluorescent Lamps shall be used for each installation

The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

C8 SAHAKARANAGARA

BESCOM

(10)

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE BSMP

Address Near Indira Canteen
Yelahanka
Bangalore

GSTIN :

BILL No. **YNK/18/** 02944

DATE : 06/06/18 TIME : 12.50 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3phase C767177	01	1466.62	1466.	62

BESCOM DVN : C-8

W.O. No. Z. 22814 Date 06/04/18

Total Invoice Value (In Words) : One Thousand Seven hundred Thirty Rupees Sixty two Paise only

CGST @ 9%	132.	00
SGST @ 9%	132.	00
GRAND TOTAL	1730.	62

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 954

Date : 17-04-2018

1. Customer's Name and Address with Telephone No. : WARD NO 7 B.T. pura Subdivision

2. Well Location : AMURTH NAGAR NEAR INDIRACANTEEN

3. Total Well Depth / Drilled in Ft. : 900

4. Casing Erected in Ft. : 250-300

5. Water Struck at the Depth of : 600'

6. Total Yield (Measuring method "V" Norch : 2½ / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Loose Soil

8. At the Depth of : 900

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

~~Manager~~ / Proprietor

Party's Signature

Water Diviner

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date :..25/01/18

REPORT ON GROUND WATER INVESTIGATION

Name AEE, Byatarayanapura Division - BBMP.

Address Ward # 7, BBMP Ward office Sahakaranagara.

Location Amruthanagara Near Indira Canteen.

Topography —

Soil Type Dry

Rock Type Hard

Nos. 1

RECOMMENDATIONS

Depth 800 - 1100

Casing 80 - 100

Yield 1000 - 1500

Aquifers one

Remarks Dry and go ft. long depth 10" p.v.c.

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Smt. Kavitha Singh

Kavitha

Water Diviner

Duplicate Receipt

Bangalore Electricity Supply Company Limited
C8 SAHAKARANAGARA

Receipt No :252784028723
Receipt Date :02-04-2018 15:19:32
Cash Counter :BESCOM - C8 SDO Cash Counter
Account ID :2527840837
Person Name :AEE BBMP
Total Payment:Rs8,160.00
Payment Mode :Cash
Purpose :2MMD/ISD (48.101)
Eight Thousand One Hundred Sixty Rupees Only

---------- THANK YOU ----------

Verified
2/4/18

Bangalore Electricity Supply Company Limited

No.: BESCOM/NC_LTPWRSA/0073409200/06-03-2018

Office of
Assistant Executive Engineer
C8 SAHAKARANAGARA
BESCOM
DATE: 06-03-2018

To,
AEE BBMP,
MUNINAGAPPA L/O,AMRUTHAHALLI(V)

BANGALORE KARNATAKA
560092

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: **1) Application No:299491562199 Dated: 24-02-2018**
2) Account ID : 2527840837
3) Prevailing KERC regulations.

With reference to your Application No. **299491562199 Dated: 24-02-2018**, power supply to an extent of **0 KW** and **10 HP** on Account ID **2527840837** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	0
2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	0
5	**Total Plinth Area in sq.m.**	0

   b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	**0 KW and 10 HP**
3	Total Load	**7.46 KW**

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of **The Assistant Executive Engineer (EI) C8 SAHAKARANAGARA, BESCOM** within 30 days from the date of this letter:

Sl. No.	Particulars	Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **10 HP**) installation	₹8160.00
2.	MSD Amount	₹0.00
3.	Infrastructure Charges	₹0.00
4.	Service Line Cost(Development Charge)	₹0.00
5.	Additional Development /Service Line Charges	₹0.00
Total		₹8160.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters _____Nos.

b) Three Phase Meters _____Nos.

c) ETV Meters _____ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to **0** KVA of the TC located at

c) After erecting new **0** KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

s per the Govt. Order, solar water heaters of suitable capacity shall be provided

Five nos. of Compact Fluorescent Lamps shall be used for each installation

The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully,

Assistant Executive Engineer

C8 SAHAKARANAGARA

BESCOM

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 953

Date : 20-04-2018

1. Customer's Name and Address : WARDNO 7 B.T.pallion
   with Telephone No.
2. Well Location : Near JNC. Amaruthalli Road
3. Total Well Depth / Drilled in Ft. : 900
4. Casing Erected in Ft. : 280-300
5. Water Struck at the Depth of : 2½ 600
6. Total Yield (Measuring method "V" Norch : 2½ / Inches on "V" Norch)
7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Hard Rock
8. At the Depth of : 900
9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

Water Diviner

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date :.25/01/18..

REPORT ON GROUND WATER INVESTIGATION

Name: Akki, Byatarayapura Division - BBMP.

Address: Ward #-7, Ward office Lakkasandra BBMP.

Location: Near JNC.

Topography: —

Soil Type: Dry

Rock Type: HARD

Nos. 1

RECOMMENDATIONS

Depth: 800 - 1200

Casing: 80 - 110

Yield: 1000 - 1500

Aquifers: O/K

Remarks: Dry area go for long depth 10" PVC

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Smt. Kavitha Singh

Kavitha

Water Diviner

(2)

Duplicate Receipt

Mangalore Electricity Supply Company Limited
C8 SAHAKARANAGARA

Receipt No :950199444905
Receipt Date :02-04-2018 15:19:32
Cash Counter :BESCOM - C8 SDO Cash Counter
Account ID :9501994343
Person Name :AEE BBMP
Total Payment:Rs8,160.00
Payment Mode :Cash
Purpose :2MMD/ISD (48.101)
Eight Thousand One Hundred Sixty Rupees Only

---------- THANK YOU ----------

Verified
2/4/18

RR = C8P842.

Bangalore Electricity Supply Company Limited

No.: BESCOM/NC_LTPWRSA/0170630199/06-03-2018

Office of
Assistant Executive Engineer
C8 SAHAKARANAGARA
BESCOM
DATE: 06-03-2018

To,
AEE BBMP,
GKVK L/O,JAKKUR

BANGALORE KARNATAKA
560092

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:447871439087 Dated: 24-02-2018
2) Account ID : 9501994343
3) Prevailing KERC regulations.

With reference to your Application No. **447871439087 Dated: 24-02-2018**, power supply to an extent of **0 KW** and **10 HP** on Account ID **9501994343** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	0
2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	0
5	**Total Plinth Area in sq.m.**	0

   b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	0 KW and 10 HP
3	Total Load	7.46 KW

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of **The Assistant Executive Engineer (El) C8 SAHAKARANAGARA, BESCOM** within 30 days from the date of this letter:

Sl. No.	Particulars	Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **10 HP**) installation	**₹8160.00**
2.	MSD Amount	**₹0.00**
3.	Infrastructure Charges	**₹0.00**
4.	Service Line Cost(Development Charge)	**₹0.00**
5.	Additional Development /Service Line Charges	**₹0.00**
	Total	**₹8160.00**

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters _____Nos.

b) Three Phase Meters _____Nos.

c) ETV Meters _____ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to **0** KVA of the TC located at

c) After erecting new **0** KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

s per the Govt. Order, solar water heaters of suitable capacity shall be provided

Five nos. of Compact Fluorescent Lamps shall be used for each installation

The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully,

Assistant Executive Engineer

C8 SAHAKARANAGARA

BESCOM

(7)

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE 3 BMP

Address Gokula Park.
Jakkur.
Yn

GSTIN :

BILL No. **YNK/18/** 02939

DATE : 06/06/18 TIME : 12.24 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3Phase C766957	01	1466.67	1466.	67

BESCOM DVN : CS

W.O. No. Z-22812 Date 06/04/18

Total Invoice Value (In Words) : One Thousand Seven Hundred Thirty Seven Rupees Only

CGST @ 9%	132.	+
SGST @ 9%	132.	+
GRAND TOTAL	1730.	67

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 968

Date : 25-04-2018

1. Customer's Name and Address with Telephone No. : WARD NO 7. BT. pura division

2. Well Location : GKVK Layout CA Site.

3. Total Well Depth / Drilled in Ft. : 900

4. Casing Erected in Ft. : 250-300

5. Water Struck at the Depth of : 900

6. Total Yield (Measuring method "V" Norch : 2½ / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Rainy

8. At the Depth of : 900

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

Water Diviner

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

ಸಮೃದ್ಧಿ

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date :..21/01/18

REPORT ON GROUND WATER INVESTIGATION

Name: AE-I, Byatarayanapura Division BBMP.

Address: Ward #7, Yelahanka BBMP, Ward office BBMP.

Location: GKVK Layout C.A. Site.

Topography: —

Soil Type: Dry.

Rock Type: Hard

Nos. 1

RECOMMENDATIONS

Depth: 800 - 1000

Casing: 80 - 100

Yield: VPH 1000 - 1500

Aquifers: One.

Remarks: Dry area go for long Depth 10" P.V.C.

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

Smt. Kavitha Singh

Kavitha

Water Diviner

C8 SAHAKARANAGARA

Receipt Number	932901777162
Reciept Date	05-04-2018 12:44:49
Cash Counter	BESCOM - C8 SDO Cash Counter
Payor Account ID	9329017757
Person Name	AEE BBMP
RR Number	
Total Payment	Rs8,160.00
Mode of pay	Cash
Purpose	Deposits
Non Revenue category	2MMD-FEE

Eight Thousand One Hundred Sixty Rupees Only

---------- THANK YOU ----------

01

C8P841

4	Added or New Plinth Area in sq.m.	**0**
5	**Total Plinth Area in sq.m.**	**0**

b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

Existing Load Details of your premises:

1	Existing Sanctioned Load	**0**
2	New/ Additional Load Required	**0 KW and 10 HP**
3	Total Load	**7.46 KW**

Bangalore Electricity Supply Company Limited

No.: BESCOM/NC_LTPWRSA/8807204972/31-03-2018

Office of
Assistant Executive Engineer
C8 SAHAKARANAGARA
BESCOM
DATE: 31-03-2018

To,
AEE BBMP,
JAKKUR SOCIETY ROAD,JAKKUR

BANGALORE KARNATAKA
560064

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) **Application No:013217254564 Dated: 15-03-2018**
2) **Account ID : 9329017757**
3) **Prevailing KERC regulations.**

With reference to your Application No. **013217254564 Dated: 15-03-2018**, power supply to an extent of **0 KW** and **10 HP** on Account ID **9329017757** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	0
2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	0
5	**Total Plinth Area in sq.m.**	0

   b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	0 KW and 10 HP
3	Total Load	7.46 KW

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of **The Assistant Executive Engineer (EI) C8 SAHAKARANAGARA, BESCOM** within 30 days from the date of this letter:

Sl. No.	Particulars	Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **10 HP**) installation	**₹8160.00**
2.	MSD Amount	**₹0.00**
3.	Infrastructure Charges	**₹0.00**
4.	Service Line Cost(Development Charge)	**₹0.00**
5.	Additional Development /Service Line Charges	**₹0.00**
	Total	**₹8160.00**

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters _____Nos.

b) Three Phase Meters _____Nos.

c) ETV Meters _____ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to 0 KVA of the TC located at

c) After erecting new 0 KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

s per the Govt. Order, solar water heaters of suitable capacity shall be provided

Five nos. of Compact Fluorescent Lamps shall be used for each installation

The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

C8 SAHAKARANAGARA

BESCOM

(6)

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE YSBM

Address Jakkur. Society Rd
Yelahanka

GSTIN :

BILL No. **YNK/18/** 02937

DATE : 06/06/18 TIME : 12.20 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3phase C766470	01	1466.62	1466.	62

BESCOM DVN : CS	CGST @ 9%	132.	00
W.O. No. Z.2280 Date 06/04/18	SGST @ 9%	132.	00
Total Invoice Value (In Words) : One Thousand Seven Hundred Thirty Seven Rupees	**GRAND TOTAL**	1730.	62

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

Water Diviner

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 967

Date : 26-04-2018

1. Customer's Name and Address with Telephone No. : MPRNo 7 B.T. pura Sub division

2. Well Location : Jakkur. Jakkur Society

3. Total Well Depth / Drilled in Ft. : in HARD ROCK 900

4. Casing Erected in Ft. : 250 - 300

5. Water Struck at the Depth of : 550

6. Total Yield (Measuring method "V" Norch : 2½ / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Lava & Coal

8. At the Depth of : 900

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

Kavuthy

Water Diviner

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date : 21/1/18

REPORT ON GROUND WATER INVESTIGATION

Name: Akki Byatarayanpura Division BBMP

Address: Ward # 7, Kathalavenagara BBMP Ward office BBMP.

Location: Sakkur Society.

Topography: —

Soil Type: Dry

Rock Type: Hard

Nos. 1

RECOMMENDATIONS

Depth: 800 — 1100

Casing: 80 — 100

Yield: 6" PH - 1000 - 1500

Aquifers: 01 No.

Remarks: Dry area go for long depth 10" p.v.c.

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Smt. Kavitha Singh

Kavitha

Water Diviner